

STATE OF VERMONT
PUBLIC SERVICE BOARD

Dig Safe Notice No. 627

In Re: Comcast, Alleged Violation of July 7, 2009, as)
reported by Comcast)

Order entered: 10/14/2009

ORDER RE: NOTICE OF PROBABLE VIOLATION

Background

1. Pursuant to 30 V.S.A. § 7001 et. seq., and Vermont Public Service Board Rule 3.800, the Vermont Department of Public Service ("Department") issued a Notice of Probable Violation of Underground Utility Damage Prevention System ("NOPV") to Comcast ("Respondent").
2. Incident Date: July 7, 2009
3. Incident Location: 345 Harbor Road, Shelburne, VT
4. Name and Address of Company that Reported the Incident to the Department: Comcast, 676 Island Pond Road, Manchester, NH 03109
5. Date Incident Reported to Effected Utility: July 7, 2009
6. Date NOPV issued by Department: September 25, 2009 (#1645)
7. Department's Statement of Evidence Supporting the Alleged Violation: "The Department of Public Service investigated this incident and determined the following details. On 6/16/09, R&J Trucking made a notice of excavation activities to Dig Safe System Inc. to install a drainage system and swale at this site. Comcast's facility maps were outdated, not showing any facility buried at this site. As a result of these outdated maps, Comcast did not locate and mark its underground facilities in the area of the proposed excavation. The excavation work resulted in an unmarked distribution line being damaged and causing a service outage for approximately 2 hours to 1 subscriber. R&J Trucking notified Comcast of the damaged facility. The Department of Public Service issued 12 Notices of Probable Violation (NOPVs) to Comcast during the 12 months preceding this incident."
8. Statute, Rule, Regulation or Order Allegedly violated: 30 V.S.A. § 7006

9. The Department's Recommended Remedial Action(s) (Including Civil Penalties): Civil penalty in the amount of One Thousand Two Hundred Dollars (\$1,200.00).
10. The Respondent has agreed to take the remedial action(s) recommended by the Department.¹

Conclusion and Order

Because the Respondent has not contested the NOPV, or the allegations therein, we conclude that the remedial action proposed in the NOPV is appropriate, and should be imposed.²

WHEREFORE, IT IS HEREBY ORDERED, ADJUDGED AND DECREED by the Public Service Board of the State of Vermont that:

Within thirty days of the date of this Order, Comcast of Connecticut/Georgia/Massachusetts/New Hampshire/New York/North Carolina/Virginia/Vermont, d/b/a Comcast, shall pay a civil penalty in the amount of One Thousand Two Hundred Dollars (\$1,200.00) by submitting to the Public Service Board a check in that amount made payable to the State of Vermont, and sent to the Public Service Board at 112 State Street, Montpelier, VT 05620-2701.

1. *See*, Respondent's filing of 10/8/09.

2. *See*, Public Service Board Rule 3.807(G).

Dated at Montpelier, Vermont, this 14th day of October, 2009.

<u>s/James Volz</u>)	
)	PUBLIC SERVICE
)	
<u>s/David C. Coen</u>)	BOARD
)	
)	OF VERMONT
<u>s/John D. Burke</u>)	

OFFICE OF THE CLERK

FILED: October 14, 2009

ATTEST: s/Susan M. Hudson
Clerk of the Board

NOTICE TO READERS: This decision is subject to revision of technical errors. Readers are requested to notify the Clerk of the Board (by e-mail, telephone, or in writing) of any apparent errors, in order that any necessary corrections may be made. (E-mail address: psb.clerk@state.vt.us)

Appeal of this decision to the Supreme Court of Vermont must be filed with the Clerk of the Board within thirty days. Appeal will not stay the effect of this Order, absent further Order by this Board or appropriate action by the Supreme Court of Vermont. Motions for reconsideration or stay, if any, must be filed with the Clerk of the Board within ten days of the date of this decision and order.